	Application No.	Applicant(s)	
Notice of Allowability	10/648,095		
	Examiner	Art Unit	
	Eric D. Culbreth	3616	
	Elic D. Culbretti	3010	
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	OR REMAINS) CLOSED in or other appropriate commemors. This application is	n this application. If not included unication will be mailed in due cou	rse. THIS
1. X This communication is responsive to 4/29/05.			
2. X The allowed claim(s) is/are <u>1,2,7,9 and 10</u> .			
3. The drawings filed on are accepted by the Examiner			
 4. Acknowledgment is made of a claim for foreign priority un a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 		or (f).	
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" on noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		e a reply complying with the require	ements
 A SUBSTITUTE OATH OR DECLARATION must be submi INFORMAL PATENT APPLICATION (PTO-152) which give 			CE OF
6. $oxed{\boxtimes}$ CORRECTED DRAWINGS (as "replacement sheets") mus			
(a) ☐ including changes required by the Notice of Draftspers	on's Patent Drawing Revie	w (PTO-948) attached	
1) hereto or 2) to Paper No./Mail Date			
(b) including changes required by the attached Examiner's Paper No./Mail Date	: Amendment / Comment o	or in the Office action of	
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	84(c)) should be written on the header according to 37 C	the drawings in the front (not the bac FR 1.121(d).	:k) of
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
		·	
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 🗀 Notice of I	nformal Patent Application (PTO-19	52)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)		Summary (PTO-413),	,2,
	Paper No	./Mail Date	·
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4/13/05 	8), 7. 🔀 Examiners	s Amendment/Comment	
4. ☐ Examiner's Comment Regarding Requirement for Deposit		s Statement of Reasons for Allowa	nce
of Biological Material	9. ⊠ Other <u>App</u>	roved Copy of Figure 5.	

Application/Control Number: 10/648,095

Art Unit: 3616

EXAMINER'S AMENDMENT

Page 2

1. An examiner's amendment to the record appears below. Should the changes and/or

additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR

1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

payment of the issue fee.

The application has been amended as follows:

In claim 1, line 4 "is" was changed to: --being--, for proper grammar. a.

In claim 7, line 4 "is" was changed to: --being--. b.

In claim 7, line 9 "attaching said subassembly" was changed to: --said C.

subassembly is attached--, for proper grammar.

d. In the paragraph beginning on page 7, line 21 as amended 3/29/05, in line 4 of the

paragraph, --is--, was inserted before "arbitrary" (it was in the original paragraph but left out in

the 3/29/05 paragraph).

The following changes to the drawings have been approved by the examiner: In the 2.

drawing of Figure 5 filed 4/29/05, the lead line for reference numeral 51 will be made to touch

the through hole, as shown in red in the enclosed Figure 5 and "REPLACEMENT PAGE" at the

top of Figure 5 will be changed to: --REPLACEMENT SHEET--, in order to comply with the

first paragraph of the Final Office Action mailed 12/30/04 (the rule requires the term

"replacement sheet", not "replacement page". In order to avoid abandonment of the application,

applicant must make these above agreed upon drawing changes.

Art Unit: 3616

. 3616

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eric D. Culbreth whose telephone number is 571/272-6668. The examiner can normally be reached on Monday-Thursday, 9:30-7:00 alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paul Dickson can be reached on 571/272-6669. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Eric D Culbreth Primary Examiner Art Unit 3616

Fix Cullreth

ec

Inventor: Ochiai et al.
Docket No.: 13425.38US01
Title: PASSENGER PROTECTING APPARATUS
Serial No.: 10/648095
Sheet 1 of 1
REPLACEMENT PAGE

Sheet

FIG.5



